

COMPANY: ФИРМА:		ORDER FORM
PRODUCTION: ПРОДУКЦИЯ:		
Key Grip		DATE:
CONTACT PERSON:		
PHONE/EMAIL:		
PERIOD:		

DESCRIPTION	QTY	DESCRIPTION	QTY	DESCRIPTION	QTY
CRANES, DOLLIES CLASSIC & STABILIZED HEAD		VARIOS ACCESSORIES		TEXTILES	
BOLT HIGH-SPEED CINEBOT ON TRACKS		Aluminum tower 256cm x 200cm, 2m		20x20' / 6x6 m - Frame	
SERVICE VISION CRANE SCORPIO 30' +7' Arm		Aluminum tower 256cm x 200cm, 4m		20x20' / 6x6 m - Full silk	
SERVICE VISION CRANE SCORPIO 23'		Aluminum tower 256cm x 200cm, 6m		20x20' / 6x6 m - Silk 1/2	
MovieBird 45ft Crane with Rain Cover		Sub frame for crane		20x20' / 6x6 m - Silk 1/4	
John Deer Gator for MovieBird 45		Megadeck 2.5x1.25 m		20x20' / 6x6 m - Satin	
PANTHER PEGASUS VERSION 9		Megadeck 1.25x1.25 m		20x20' / 6x6 m - Full grid	
PANTHER PEGASUS VERSION 21		Candle stick		20x20' / 6x6 m - Grid 1/2	
PANTHER PEGASUS VERSION 24		Low loader		20x20' / 6x6 m - Grid 1/4	
GIRAFFE CRANE		Hi rollers		20x20' / 6x6 m - Griffolyn	
PANTHER FOXY ADVANCED VERSION 8.1		Hi Hi Woker Stand with Lazy Leg		20x20' / 6x6 m - Single net	
PANTHER FOXY VERSION 1		Risers for stand		20x20' / 6x6 m - Double net	
PANTHER FOXY VERSION 2 (CAMERA + 1 person)		Wind up		20x20' / 6x6 m - Soft frost	
PANTHER FOXY VERSION 3 (REMOTE HEAD ONLY)		Super wind up		20x20' / 6x6 m - Bleached muslin	
PANTHERFOXY VERSION 4 (REMOTE HEAD ONLY)		Super crank stand		20x20' / 6x6 m - Unbleached muslin	
SERVICE VISION SCORPIO STABILIZED HEAD - 3 axis		Grip head		20x20' / 6x6 m - Silver	
SERVICE VISION SCORPIO HEAD - 2/3 axis module		Elemack head		20x20' / 6x6 m - Ultrabounce	
MOVI XL Remote Head with Alfa Wheels		AIRRIG GRIP KIT		20x20' / 6x6 m - Black solid	
Mo-Sys Lambda 2 Axis Remote Head		AIRRIG CAMERA KIT		20x20' / 6x6 m - Green screen	
Transvideo Monitor for Lambda Head		Side car mount		20x20' / 6x6 m - Blue screen	
REMOTE HEAD Thoma TR 3		Front car mount		20x20' / 6x6 m - Eggcrate	
CHAPMAN SUPER PEE WEE IV PLUS		Car mount head for camera		20x20' / 6x6 m - Hi lite	
CHAPMAN HYBRID III CAMERA DOLLY		Hard mount for steadicam		20x20' / 6x6 m - Camouflage net	
SUPER FALCON II DOLLY		Spinner device		12x12' / 4x4 m - Frame	
ALBATROSS DOLLY		Telescopic bazooka Panther		12x12' / 4x4 m - Full silk	
GFM Quad Dolly with tracks wheels		GFM Gas Riser		12x12' / 4x4 m - Silk 1/2	
PORTA JIB		Bazooka base		12x12' / 4x4 m - Silk 1/4	
GFM Jib Arm		Bazookas		12x12' / 4x4 m - Satin	
DOORWAY DOLLY / LIGHT DOLLY		Ronford Baker Bazooka Base with risers and wind-up riser		12x12' / 4x4 m - Full grid	
SKATEBOARD DOLLY		GFM Bazooka Base and 5 risers		12x12' / 4x4 m - Grid 1/2	
CSC Butt Dolly		GFM wheels for the base		12x12' / 4x4 m - Grid 1/4	
LADY SUZANAH		Ronford Baker Wind-up riser		12x12' / 4x4 m - Ultrabounce	
SPEED WHEELS		Ronford Baker Mitchel Rotating offset		12x12' / 4x4 m - Griffolyn	
SUPER PANTHER III 48V HIGH SPEED		Risers (bazookas) 20cm, 30cm, 40cm (Panther)		12x12' / 4x4 m - Single net	
SUPER PANTHER III + SUPER JIB II / 96		Low mode		12x12' / 4x4 m - Double net	
CINE JIB DOLLY		Snake arm Panther		12x12' / 4x4 m - Soft frost	
CINE JIB CRANE		Polecat 80-135 cm		12x12' / 4x4 m - Bleached muslin	
SCORPIO HEAD PHONES (INTERCOM)		Polecat 130-180 cm		12x12' / 4x4 m - Unbleached muslin	
HME ClearCom Intercom 6 channels		Polecat 130-200 cm		12x12' / 4x4 m - Black solid	
CINE JIB CRANE		Polecat 160-220 cm		12x12' / 4x4 m - Silver	
TRACKS	QTY	Polecat 170-280 cm		12x12' / 4x4 m - Gold	
Precision vario track Mark II – 2 m		Polecat 200-300 cm		12x12' / 4x4 m - Green screen	
Precision vario track Mark II– 1 m		Polecat 280-380 cm		12x12' / 4x4 m - Blue screen	
Precision vario track Mark II– 0.5 m		Polecat 300-500 cm		12x12' / 4x4 m - Checker board	
Precision vario track Mark II – 1/8 (45°)		Polecat 400-600 cm		12x12' / 4x4 m - Eggcrate	
Starter track		Polecat 450-700 cm		12x12' / 4x4 m - Hi lite	
Aluminum straight track - 3 m (10 ft.)		Clamps heavy duty		12x12' / 4x4 m - Camouflage net	
Aluminum straight track - 2.4 m (8 ft.)		Furniture clamps		8x8' / 2.4x2.4 m - Frame	
Aluminum straight track - 1.8 m (6 ft.)		G-clamps		8x8' / 2.4x2.4 m - Full silk	
Aluminum straight track - 1.2 m (4 ft.)		Cardanilles clamps		8x8' / 2.4x2.4 m - Silk 1/2	
Aluminum straight track - 0.9 m (3 ft.)		Scaffolding clamps 1 x 45° / 1 x 90°		8x8' / 2.4x2.4 m - Silk 1/4	
Aluminum curved track		Shackles		8x8' / 2.4x2.4 m - Satin	
WT 300 S Crane track 3 m scissor		Carabines		8x8' / 2.4x2.4 m - Griffolyn	

WT 230 S Crane track 2.3 m scissor		Slim + pulley + carabine		8x8' / 2.4x2.4 m - Ultrabounce	
WT 150 S Crane track 1.5 m scissor		Chain vise		8x8' / 2.4x2.4 m - Black solid	
MTC 100 Starter Track 100 cm		Ratchet straps		8x8' / 2.4x2.4 m - Full grid	
ST230 S Straight tracks, 2.3 m, scissor (62 cm)		Safety belts		8x8' / 2.4x2.4 m - Grid 1/2	
ST230 S Straight tracks, 1.5 m, scissor (62 cm)		Safety harness		8x8' / 2.4x2.4 m - Grid 1/4	
ST230 S Straight tracks, 1 m, scissor (62 cm)		Safety cables		8x8' / 2.4x2.4 m - Single net	
ST230 S Straight tracks, 0.8 m, scissor (62 cm)		Pulleys		8x8' / 2.4x2.4 m - Double net	
MTD 100 Starter track (62 cm)		Plexyglass protection for camera - 1x1 m		8x8' / 2.4x2.4 m - Bleached muslin	
ST 450 Curved tracks (8 pcs make a 5 m 10 circle, 45°)		Aluminum rostrum - 1x1x1 m		8x8' / 2.4x2.4 m - Eggcrate	
SLIDERS & OFFSETS	QTY	Aluminum rostrum - 1x1x0.50 m		8x8' / 2.4x2.4 m - Silver	
Solid Grip Twin Dolly with 4-way leveller		Metal rostrum - 1x1x2 m		8x8' / 2.4x2.4 m - Green screen	
Solid Grip Twin tube small track 2.3 m		Metal rostrum - 1x1x1.50 m		6x6' / 2x2 m - Frame	
Solid Grip Twin tube small track 1.5 m		Metal rostrum - 1x1x1 m		6x6' / 2x2 m - Full silk	
Solid Grip Twin tube small track 1.2 m		Metal rostrum - 1x1x0.75 m		6x6' / 2x2 m - Silk 1/2	
Solid Grip Twin tube small track 1 m		Metal rostrum - 1x1x0.50 m		6x6' / 2x2 m - Silk 1/4	
Solid Grip Twin tube small track 0.8 m		Pantograph for boom system		6x6' / 2x2 m - Satin	
Ronford Baker Camera Slider 6ft		Boom device		6x6' / 2x2 m - Full grid	
Ronford Baker Camera Slider 4ft		Big ben for pipes		6x6' / 2x2 m - Grid 1/2	
Ronford Baker Camera Slider 2ft		Aluminium pipes - 6 m		6x6' / 2x2 m - Grid 1/4	
Overkeeper - 3 m		Aluminium pipes - 5 m		6x6' / 2x2 m - Ultrabounce	
Overkeeper - 1.20 m		Aluminium pipes - 4 m		6x6' / 2x2 m - Griffolyn	
Overkeeper - 0.90 m		Aluminium pipes - 3 m		6x6' / 2x2 m - Single net	
Overkeeper - 0.60 m		Aluminium pipes - 2 m		6x6' / 2x2 m - Double net	
U-bangi - 3 m		Aluminium pipes - 1 m		6x6' / 2x2 m - Bleached muslin	
U-bangi Panther - 1.5 m		Aluminium pipes - 0.5 m		6x6' / 2x2 m - Unbleached muslin	
U-bangi Panther - 1.2 m		Box of wedges		6x6' / 2x2 m - Black solid	
Long L-bracket		Box of pedanines		6x6' / 2x2 m - Silver	
Short L-bracket		Box of plances		6x6' / 2x2 m - Gold	
Rocker plate		Apple box 30 x 60 cm		6x6' / 2x2 m - Green screen	
Short offset (mitchel, bowl)		Apple box 20 x 60 cm		6x6' / 2x2 m - Blue screen	
Long offset (mitchel, bowl)		Apple box 10 x 60 cm		6x6' / 2x2 m - Eggcrate	
Central offset (mitchel, bowl)		Wooden cubes (set)		6x6' / 2x2 m - Hi lite	
Offset for 2 cameras		Electrical switchboard for winches		TEXTILES (big sizes)	QTY
Offset for 3 cameras		Winches		Full silk - 13x10 m	
Long offset for 2 cameras		Sandbags		Full silk - 16x6 m	
Mitchell combo adapter (Offset)		Step ladder - 2.40 m		Full silk - 12x9 m	
Bowl combo adapter		Step ladders - 3 m		Full silk - 17x9 m	
Aluminium wedge for Libra head		Step ladder (double extending)		Full silk - 18.3x9 m	
2-way leveller		Dielectric step ladder - 8.4 m (2 section)		Silk 1/2 - 1.4x16 m	
3-way leveller		Dielectric step ladder - 7.4 m (2 section)		Silk 1/2 - 2.8x16 m	
Ronford Baker Mitchell Rotating Offset		Dielectric step ladder - 5.4 m (2 section)		Silk 1/2 - 10x10 m	
Aluminium wedge for Libra head		Dielectric step ladder - 3.8 m (2 section)		Silk 1/2 - 15x20 m	
2-way leveller		GREEN SCREENS (big sizes)	QTY	Silk 1/2 - 10x20 m	
3-way leveller		Green screen (Rosko) - 9x12 m		Silk 1/2 - 6x32 m	
EUROTRUSS	QTY	Green screen (Rosko) - 9x11 m		Silk 1/2 - 12x32 m	
SCQ-40 / 7m		Green screen (Rosko) - 9x10.30 m		Silk 1/2 - 4.5x32 m	
SCQ-40 (Small circle)		Green screen - 12x12 m		Silk 1/2 - 13.5x32 m	
29-D / 90° corner		Green screen - 12x6 m		Silk - 18x9 m	
29-DT / "T"-shape union		Green screen - 10x6 m		Full silk - 24x18 m	
SD-29 / 1M / Parallel truss of 1m		Green screen - 9.5x7.5 m		Full silk - 9x7.5 m	
SD-29 / 2M / Parallel truss of 2m		Green screen - 9x7 m		Ultrabounce - 5.5x18 m	
SD-29 / 3M / Parallel truss of 3m		Green screen - 9.5x9 m		Ultrabounce - 6x18 m	
A-D25 / Base plate for truss SD-25		Green screen - - 9x10.30 m		Ultrabounce - 6x32 m	
29-T / 90° corner		Green screen 9x9.15m		Ultrabounce - 12x20'	
29-TT / "T"-shape union		Green screen - - 9x10.70 m		Grid silent 1/4 - 1.5x6 m	
ST-29 / 0.8M Triangular truss of 0.8m		Green raw edge - 12x6 m		Grid silent 1/4 - 2.5x6 m	
ST-29 / 1M Triangular truss of 1m		Green raw edge - 6x6 m		Grid silent 1/4 - 10x4 m	
ST-29 / 1.5M / Triangular truss of 1.5m		Green dutchman - 10x0.75 m		Grid silent 1/4 - 8x8 m	
ST-29 / 2M / Triangular truss of 2m		Green dutchman - 7x0.75 m		Grid silent 1/4 - 9x9 m	
ST-29 / 3M / Triangular truss of 3m		Green dutchman - 5x0.75 m		Grid silent 1/4 - 10x10 m	
A-T29 / Base plate for truss ST-29		BLUE SCREENS (big sizes)	QTY	Full Grid 12x20'	
AC-524 / Parallel truss for 2 robots		Blue screen (Rosko) - 21x11m		Full Grid 12x20 m	
AC-529 / "T"-shape telescopic arm		Blue screen (Rosko) - 21x9m		Grid 1/2 12x20 m	
SQB-29 / Multi-bucket		Blue screen (Rosko) - 11x18 m		Muslin - 9x11 m	
29-Q / 90° corner		Blue screen (Rosko) - 12x9 m		Muslin - 9x7.5 m	
29-QT / "T"-shape union		Blue screen - 9x10 m		BLACKOUTS	QTY
SQ-29 / 0.3M / Square truss of 0.3m		Blue screen - 9.1x11.1 m		Blackout - 9x12 m	

SQ-29 / 0.5M / Square truss of 0.5m		Blue screen - 7x10.9 m		Blackout - 9x10.30 m	
SQ-29 / 0.75M / Square truss of 0.75m		Blue screen - 7x7.4 m		Blackout - 10x6 m	
SQ-29 / 1M / Square truss of 1m		Blue screen - 10.5x10.5 m		Blackout - 13x11 m	
SQ-29 / 1.5M / Square truss of 1.5m		Blue screen - 9x7.5 m		Blackout - 13.5x9.8 m	
SQ-29 / 2M / Square truss of 2m		Blue raw edge - 12.x6 m		Blackout - 10.6x11 m	
SQ-29 / 2.5M / Square truss of 2.5m		Blue dutchman -10x0.75 m		Blackout - 9x11.3 m	
SQ-29 / 3M / Square truss of 3m		Blue dutchman -7x0.75 m		Blackout - 9x11 m	
A-Q29 / Base plate for truss SQ-29		Blue dutchman -5x0.75 m			
AC-511 / Double aluminium clamp(Tube 50)					
SQ-40 / 1M / Square truss of 1m					
SQ-40 / 1.5M / Square truss of 1.5m					
SQ-40 / 2M / Square truss of 2m					
SQ-40 / 3M / Square truss of 3m					
SQ-40 / 4M / Square truss of 4m					
90° corner SQ-40					
Truss Lifter					
Frame and Panel set of 2 x 1m with telescopic legs from 40 to 60 cm					
Frame and Panel set of 2 x 1m with telescopic legs from 70 – 120 cm					